

Tag	Width	Height	A	P-Value	G	O	M-Value	Min. P	U-Value	SHGC
D1/1	900,00	2125,00	1,91	855,00	500,00	SW	0,54	1417,5	4,40	Any Solution
D2/1	4500,00	2125,00	9,56	1038,00	500,00	NW	0,54	1417,5	4,40	0,44
D2/2	4500,00	2125,00	9,56	1038,00	500,00	NW	0,54	1417,5	4,40	0,44
D3/1	4476,00	2125,00	9,51	1062,00	500,00	NE	0,54	1417,5	4,40	0,44
W1/1	580,00	2805,00	1,63	445,00	500,00	SW	0,54	1784,7	4,40	Any Solution
W2/1	580,00	2470,00	1,43	445,00	500,00	SW	0,54	1603,8	4,40	Any Solution
W3/1	1432,00	1225,00	1,75	935,00	500,00	SE	0,54	931,5	4,40	Any Solution
W4/1	3004,00	1225,00	3,68	935,00	500,00	SE	0,54	931,5	4,40	Any Solution
W5/1	600,00	600,00	0,36	935,00	500,00	SE	0,54	594	4,40	Any Solution
W5/2	600,00	600,00	0,36	935,00	500,00	SE	0,54	594	4,40	Any Solution
Ex.W1	1483,00	860,00	1,28	855,00	500,00	SW	0,54	734,4	4,40	Any Solution

FENESTRATION CALC'S

SCALE: N/A

SCALE : 1:50

SCALE : 1:50

GENERAL NOTES:

DRAWING TITLE:

MUNICIPAL SUBMISSION

PROJECT TITLE

19 Mar 24

.....

CLIENT SIGNATURE

19 Mar 24
.....
PROFESSIONAL SIGNATURE

MUNICIPAL INFORMATION:


**PROFESSIONAL ARCHITECTURAL
TECHNOLOGIST**
DEWALD MATHYS POTGIETER
 12:16 pm (Africa/Johannesburg) on 19 Mar 2024

COPYRIGHT:

This drawing is subject to copyright, and may not be reproduced in whole or part in any matter whatsoever without written permission from Blackhound Architecture & Rendering.

501