

ELECTRONIC CERTIFICATE OF CONFORMANCE

Certifies compliance with National Building Regulation N(2) only
(For Inclusion Form 4 of SANS 10400-A)

This certificate serves to confirm that glazing materials installed by the SAGGA / AAAMSA member mentioned below to the building as described hereafter conforms to SANS 10400-N: 2012 Ed 3.1

The Application of the National Building Regulations, Part N: Glazing

Project: Saunders
Project Type: Renovation
Physical Address: 2377 Kragga Kamma Road
Theesecombe, Port Elizabeth

Method of Glazing: Bead Glazing Putty Glazing
Type of Glazing 1 Laminated Single Float
Glazing Details: 6.38 mm Clear 0 mm 0
Safety Glazing Identification Mark: RG1 0

Type of Glazing 2
Glazing Details:
Safety Glazing Identification Mark:

Type of Glazing 3
Glazing Details:
Safety Glazing Identification Mark:

Limited To: Lounge
Glazing Solutions Not Included: Main house
Main Contractor / Developer: Coastal Frameless Concepts cc t/a Weedoo-SA
(When Applicable) **Tel:** 0414502999
E-Mail: sharon@weedoo-sa.co.za

Installer/Glazier: Coastal Frameless Concepts Trading as Weedoo SA
(Primary Contact) **Tel:** +27 (0) 41 450 2999
E-Mail: jason@weedoo.sa.co.za

SAGGA Membership #: S6300

Note:

Glazing installations not covered by this certificate are:

- External glazing on external walls in buildings where the height measured from ground to top of such wall exceeds 10m; horizontal overhead or sloped glazing including but not limited to skylights and glass awnings; glass flooring; three and one edge supported glass; frameless toughened glass assemblies; glass in balustrading; underwater viewing panels and rim flow glass. The applications not covered by this certificate shall be signed off and approved in writing by a Competent Person (Glazing) or Competent Person Structures.
- This certificate does not cover the performance of the installation in respect of air leakage, water penetration and structural performance (inertia) of the framing system (SANS 613), fire rated glazing or bullet-resistant glazing materials (SANS 1263-3).
- All balustrades shall be signed off by a Competent Person (Glazing) or Competent Person Structures in accordance with SANS 10137 and comply with SANS 10160.

Installer Name: Coastal Frameless Concepts Trading as Weedoo SA
On behalf of the Installer/ Glazier who by issue hereof warrants authorization thereto.

Issued by: Sharon Adams
Date: 2025/02/20
Certificate Number: SAG20250220-104707 (AC1)
Building Inspector Validation Code: BI1528267784

