

B.

# Grid

This durable tufted tile is designed to fit into any modern work environment with its grid-like pattern overlayed on grey tones creating an energy within the space. Available in 50x50cm tiles, it's ideal in high traffic spaces.

## Extended Specifications

|                               |                                                 |
|-------------------------------|-------------------------------------------------|
| Use Classification: (EN 1307) | Heavy Commercial – 33                           |
| Construction:                 | Tufted Pattern Colour Placement Loop Pile       |
| Recycled Content:             | Yarn – Stainproof SDX Eco - Certain Colours     |
| Fibre Type:                   | Stainproof SDX (Solution Dyed Nylon-6)          |
| Fibre Mass:                   | ± 450 g/m² (±15)   ± 13.27 oz/yd² (±0.44)       |
| Total Thickness:              | ± 6 mm (±0.5)   ± 0.24 in (±0.02)               |
| Total Mass:                   | ± 4145 g/m² ** (±5%)   ± 122.25 oz/yd² ** (±5%) |
| Tile Size:                    | 50x50 (cm)   19.69x19.69 (in)                   |
| Backing Type:                 | NexBac                                          |



B.

# Grid

## Extended Specifications

|                                                  |                                        |     |
|--------------------------------------------------|----------------------------------------|-----|
| Fire Classification: (EN 13501) (ASTM E 648-08)  | 2 Bfl-s1 Class 1                       |     |
| Colour Fastness to:                              |                                        |     |
|                                                  | Light                                  | > 6 |
|                                                  | Rubbing (change of colour)             | 4-5 |
|                                                  | Rubbing (staining)                     | 4-5 |
| Electrostatic Propensity: (ISO 6356 – CE Market) | ≤ 2 kV                                 |     |
| Static Control:                                  | Permanent                              |     |
| Sound Absorption: (EN ISO 354)                   | αw 0.15                                |     |
| Sound Insulation: (ISO 717-2)                    | Δ Lw 21 dB                             |     |
| Thermal Resistance: (ISO 8302)                   | 0.0649 m².K/W                          |     |
| Dimensional Stability: (NF EN 986)               | Pass                                   |     |
| VOC Tested: (GBCSA/GBCA)                         | Pass                                   |     |
| Castor Chair Suitability: (NF EN 985)            | A: Intense Use                         |     |
| Warranty:                                        | 15 year (Linked to a Maintenance Plan) |     |
| Guarantee:                                       | 5 year                                 |     |

\*\* Weighted Average




B.




Cloud Break



Dryland




Headland




Horizon




Rocky Edge




Sunrise




Sunset



Thunder



Twilight



Vesper

# Grid

Heavy Commercial

Commercial

Hospitality

Institution

Planks

SDX

SDX ECO

NEX BAC

Suitable for Staircases

Underfloor Heating

From Local & Imported Goods

Eco-Friendly

REUSE  
REDUCE  
RECYCLE

ANTI ALLERGENIC

GREEN TAG

GREEN BUILDING COUNCIL  
MEMBER ORGANISATION

bsi ISO 9001  
Quality Management Systems  
CERTIFIED

bsi ISO 14001  
Environmental Management  
CERTIFIED

bsi ISO 45001  
Occupational Health and Safety Management  
CERTIFIED

BELGOTEX GUARANTEE  
5  
YEAR

LIMITED WEAR WARRANTY  
15  
YEAR

## Bill of Quantities

- Belgotex GRID 25cm x 100cm Heavy Commercial ±6mm NexBac plank are manufactured from Stainproof SDX (Solution Dyed Nylon 6 for Extreme Conditions).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex GRID tiles to be installed in the following directions: Ashlar, Random Ashlar, Brick, Monolithic, Colour Mix and Tessellated.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty (Linked to a Maintenance Plan) and 5-year guarantee.
- Made in South Africa.
- Green Tag level A Silver rated certification.
- **Note:** Belgotex offers customization of this product in colour, backing and size. Please contact a Belgotex representative for more information.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.

\*\*\*Belgotex GRID to be installed in the following directions: Ashlar, Herringbone. Please contact your nearest Belgotex representative for more information.