

		TV point aeral		
		Shavers plug		
		Fibre point		
		Network point		
		Slave isolator		
		Power Skirting		
		2 x 18 W 1500 Long 2 tube fluorescent armature with, prismatic diffuser suspended from ceiling		
		5 Watt LED Down lighter as per specification		
		20 Watt Compactated Fluorescent ceiling light as per specification		
		50 Watt Compactated Fluorescent hanging pendant light as per specification		
		30 Watt Fan-light ceiling mounted		
		(5 Watt x 2) Internal LED Wall mounted light		
		(10 Watt x 2) External LED Wall mounted light		

	Proposed cold water source point: plumber to tap into existing cold water pipes at this point		External mounted heat pump as per specialist.
	Municipal water connection and stop cock		Shower head
	Proposed cold tap		
	Proposed hot tap		Solar geyser on roof with geyser in the ceiling space as per specialist.
	Proposed cold water reticulation		
	Proposed hot water reticulation		
	Proposed cold water pipe up		Garden tap position
	Proposed cold water pipe down		
	Proposed hot water pipe down		
	Proposed cold water stopcock		
	Proposed hot water stopcock		

Tag	Width	Height	A	P-Value	G	O	M-Value	Min. P	U-Value	SHGC
D1/1	2500.0	2125.00	5.31	715.00	500.00	NW	0.54	1417.5	5.20	0.49
D2/1	2482.0	2125.00	5.27	715.00	500.00	NW	0.54	1417.5	5.20	0.49
D3/1	2400.0	2125.00	5.10	715.00	500.00	NW	0.54	1417.5	5.20	0.49
Ex.D	1468.0	2125.00	3.12	3257.00	500.00	NW	0.54	1417.5	5.20	0.49
Ex.D	900.0	2125.00	1.91	1896.00	500.00	NE	0.54	1417.5	5.20	0.49
Ex.Window	1740.0	1275.00	2.22	135.00	500.00	SE	0.54	958.5	5.20	Any Solution
Ex.Window	840.0	1175.00	0.99	135.00	500.00	SE	0.54	904.5	5.20	Any Solution
Ex.Window	873.0	1175.00	1.03	135.00	500.00	SE	0.54	904.5	5.20	Any Solution
Ex.Window	840.0	1090.00	0.92	135.00	500.00	SE	0.54	958.5	5.20	Any Solution
Ex.Window	830.0	850.00	0.71	1616.00	500.00	SE	0.54	729	5.20	Any Solution
Ex.Window	1937.00	950.00	1.84	135.00	500.00	SE	0.54	783	5.20	Any Solution
W2/1	1890.00	510.00	0.96	135.00	500.00	NE	0.54	545.4	5.20	0.49
W3/1	1200.00	3065.00	3.68	735.00	500.00	SE	0.54	1925.1	5.20	Any Solution
Summary										
City/Town	Port Elizabeth			Latitude	Zone		Nett Floor Area		Fenestration Area	Glazing %
				33.962	4		145.74		33.06	22.68

[illegible][illegible]

PROJECT NO.: 2025_ABADER	REVISION NO.: 00
DRAWING NO.: 20260305_ABADER_MS02	SHEET NO.: 101
DRAWN BY: Brett Kolesky	
PRINT DATE: 05 Mar 2026	PAGE SIZE: A1

